

Optimum screen size	10-20"
Recommended working distance	37-75 cm.
Calibration	0, 1, 5, 9, 16 points
Selection mode	Dwell, Blink, Switch
Head box	20 x 18 cm. at 50 cm.
Eye tracking	Monocular and binocular
Accuracy	0.4°
Sampling rate (Frequency)	30-60 Hz
Mounting	Holder, magnets, or specific adaptor for consumer device
Operating system	Windows: 10 iPadOS: 16.X or above. Others: Please get in touch with us
Eye Tracking processing	Hiru on-chip eye tracking technology
Windows minimum system requirements (laptop, PC, tablet, hub)	<p>Eye-tracking processing done at HIRU itself. System requirements related to the computer used with HIRU:</p> <ul style="list-style-type: none"> • USB 3.0 -C type connection • 1,33 GHz CPU • 2 GB RAM • 3GB + HDD Hard Disk • Intel Graphics, Nvidia and others with OpenGL 2.0
Windows recommended system requirements	<ul style="list-style-type: none"> • Windows Surface 7+ or later Surface model
iPadOS minimum system requirements (laptop, PC, tablet, hub)	<p>Eye-tracking processing done at HIRU itself. System requirements related to the tablet used with HIRU:</p> <ul style="list-style-type: none"> • iPad Pro 11-inch (3rd generation or later) iPad Pro 12.9-inch (5th generation or later) • For iPadOS operation MFi certified hub such as Satechi
iPadOS recommended system requirements	<ul style="list-style-type: none"> • Same as minimum

Weight	115 g
Dimensions	259 x 25 x 28 mm
Eye tracking technology	Dark pupil
USB connector	USB-C This component should be handled with care.